

# MARMOL LILAC SOFT 3D RECT 120X280

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040836** 120X280 6,20 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

Size, thickness, side straightness, flatness, orthogonality

UNE-EN 14411

It accomplished all requeriments

PHYSICAL PROPERTIES				
Water absorption capacity	EN ISO 10545-03	< 0,5%		
Flexion resistance	EN ISO 10545-04	$=>40 \text{ N/mm}^2$		
Thermal shock resistance	EN ISO 10545-09	It stands the test		
Frost resistance	EN ISO 10545-12	It stands the test		

CHEMICAL PROPERTIES				
Resistance to acids	EN ISO 10545-13	GLA		
Resistance to alcalis	EN ISO 10545-13	GLA		
Resistance to cleaning products	EN ISO 10545-13	GA		
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA		
Stains resistance	EN ISO 10545-14	3		

ANTI-SLIP CHARACTERISTICS				
Slip resistance (DCOF)	ANSI A326.3	0,42		









Water absorption capacity

Thermal shock resistance

Flexion resistance

Frost resistance

# **MARMOL LILAC POL RECT 120X280**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040129** 120X280 6,40 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

Size, thickness, side straightness, flatness, orthogonality UNE-EN 14411 It accomplished all requeriments

PHYSICAL PROPERTIES			
EN ISO 10545-03	< 0,5%		
EN ISO 10545-04	$=> 40 \text{ N/mm}^2$		
EN ISO 10545-09	It stands the test		
EN ISO 10545-12	It stands the test		

CHEMICAL PROPERTIES				
Resistance to cleaning products	EN ISO 10545-13	GA		
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA		
Stains resistance	EN ISO 10545-14	3		










# LAVABO NISO IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040865** 0,00 PC BIA GL



## **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO NISO DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040866** 0,00 PC BIA GL



## **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO DE PIE ROMA

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040867** 0,00 PC BIA GL



## **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO AXEL IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040868** 0,00 PC BIA GL



## **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO AXEL DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040869** 0,00 PC BIA GL



## **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO AXEL CEN.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040870** 0,00 PC BIA GL



## **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# **LAVABO AXEL DOBLE 160**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040871** 0,00 PC BIA GL



## **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO ENEA IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040872** 0,00 PC BIA GL



## **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










# LAVABO ENEA DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040873** 0,00 PC BIA GL



## **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










## LAVABO ENEA CEN.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040874** 0,00 PC BIA GL



## **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test










## **LAVABO ENEA DOBLE 160**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A040875** 0,00 PC BIA GL



## **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test





